### **Proximity Series**

in-wall box

bring technology from the rack to the display with flexible and efficient storage of devices, cables and power for complete, reliable AV systems.

- Available in two sizes to fit the needs of the system: 14"x14" and 14"x9"
- Trim ring included to hide dry wall cut and provide an aesthetic finish
- · Built for small device mounting flexibility with patented Lever Lock™ technology built-in
- Knockouts included for high voltage power and wire management
- Ready for components includes the box, Lever Lock™ plates, J-Box with duplex receptacle and trim ring
- UL Listed to UL 2416 ans CSA C22.2 No 60950-1





Proximity Series In-Wall Box shall be Middle Atlantic Products model # PRX-WB- 14 (refer to drawing). Proximity Series In-Wall Box shall by \_\_"H x 14.25"W x 3.66" D (refer to drawing). Proximity Series In-Wall Box shall include a trim ring that provides an overall adjustable depth of 3.7" to 4.2". Proximity Series In-Wall Box shall include (1,2, refer to drawing) 3.86" H x 13.61" W Lever Lock plates, and have 3 mounting levels. Proximity Series In-Wall Box shall include one 15 Amp Outlet, with 2 mounting positions on the bottom of the box. Proximity Series In-Wall Box shall include 4qty knockouts that accept 1.25" conduit or 1.75" grommets. Proximity Series In-Wall Box shall include 10-32 Pem nuts that accept the mounting of Select Series Compact PDU with RackLink™ model # RLNK-215. Proximity Series In-Wall Box shall include one grounding and bonding stud. Proximity Series In-Wall Box shall be constructed of phosphate pre-treated steel with a white powdercoat finish. Proximity Series In-Wall Box shall be manufactured by an ISO 9001 and ISO 14001 registered company. Proximity Series In-Wall Box shall be warrantied to be free from defects in materials and workmanship under normal use and conditions for the lifetime of the wall box, and 3 years for the outlet. Proximity Series In-Wall Box shall be UL listed to the UL standard 2416 in US and CSA C22.1 No. 60950-1 in Canada.

Customizable specification clips available at middleatlantic.com




· Proximity Series Mounting Plate for small component accessory mounting shall be 9"H x 12"W, include a bracket to mount to the VESA monitor mounting pattern, and be model # PRX-MP-9X12






# Proximity Series PRX-WB-1414 basic dimensions


all dimensions in inches unless otherwise noted [all dimensions in brackets are in millimeters]





## 1.81 [46] -1.25 [32] - 4X Ø.20 [5] 11.75 [298]

1.25 [32]











### LEVER LOCK SPACING PRX-WB-14X14 & PRX-WB-9X14






what **great systems** are built on.™







# Proximity Series PRX-WB-914 basic dimensions


all dimensions in inches unless otherwise noted [all dimensions in brackets are in millimeters]








### without trim ring













# Proximity Series Lever Lock™ & AC power basic dimensions


all dimensions in inches unless otherwise noted [all dimensions in brackets are in millimeters]

### Lever Lock™ PRX-WB-914: qty. included 1 PRX-WR-1414: qty. included 2






AC power kit PRX-WB-914: qty. included 1 PRX-WR-1414: qty. included 1







technical information: amps: 15a material: metal box volts (AC):125v wire gauge:12-14- AWG receptacle type: NEMA 5-15R number of receptacles: 2 color: white mounts to the bottom of PRX-WB

# Proximity Series mounting plate & bracket basic dimensions

all dimensions in inches unless otherwise noted [all dimensions in brackets are in millimeters]

